CONCEPT EXAMPLES

ACCUMULATION CONVEYORS



- → Low pressure accumulation
- → Friction drive rollers






SEQUENCER



- \rightarrow 900 1.200 cases/hr per level
- → Single & multi-level
- → Reshuffle sequence of cases within flows






SORTER/EXPEDITION CHUTES



- → Chutes up to 20 m
- → Low pressure accumulation
- → Chutes under angle OR horizontally












ORDER RELEASE MODULES

- → Full case order picking
- → Suitable for many kinds of packaging types (no tray-handling required)
- → Case buffering in friction drive accumulation lanes
- → Low energy consumption
- → Compact design
- → Up to 10.000 cases/hr per module:
 - in the right sequence
 - in the right quantities
 - at the right moment!









PALLETIZING BUFFER

- → Intermediate Storage of SKU's
- → Fast replenishment to palletizing station
- → Sequencing & buffering
- → Single & multi-level



EXPEDITION BUFFER

- → Random infeed of cases by crossbelt sorter or shuttles
- → Collection of customer orders per lane
- → Accumulation lanes
- → Release of orders lane by lane
- → Suitable for many kinds of packaging types (no tray-handling required)
- → Up to 1.200 cases/hr per level:







Dynamic Logistic Systems B.V.

Havenstraat 90 7005 AG Doetinchem The Netherlands

Telefoon: +31 (0)314 36 45 36 E-mail : info@dlsnetherlands.com Internet : www.dlsnetherlands.com

DLS FRICTION DRIVE™ TECHNOLOGY

PARTS AND CONCEPTS







MAIN PARTS

INBOUND CONVEYOR WITH DRIVING PUSHER:



FRICTION DRIVE™
ACCUMULATION LANES



DISPENSERS TO RELEASE CASES ON OUTBOUND CONVEYORS

